



HEALTH, SAFETY, ENVIRONMENTAL, PRODUCT STEWARDSHIP AND SUSTAINABILITY  
855 South Mint Street  
Charlotte, North Carolina 28202  
[www.honeywell.com](http://www.honeywell.com)

January 10, 2025

Mr. Edward Hammerberg  
Technical Specialist/RCE Supervisor  
Waste Division and Utilization Program  
Maryland Department of the Environment  
1800 Washington Boulevard, Suite 645  
Baltimore, MD 21230

**Re: Transmittal of Quarterly Site Progress Report, Fourth Quarter 2025, 2000 Race Street Site, Baltimore, Maryland**

Dear Mr. Hammerberg:

Please find attached the Third Quarter 2025 Site Progress Report for the 2000 Race Street Site, Baltimore, Maryland. This document is provided on behalf of Honeywell and the Mayor and City Council of Baltimore pursuant to the General Inspection Requirements of Section II.C of the Controlled Hazardous Substance Post-Closure Permit issued by the Maryland Department of the Environment (MDE) for the 2000 Race Street Site, effective September 27, 2019.

If you have any questions or require additional information, please do not hesitate to contact me at 973-455-2877, or by e-mail at [Eric.Christodoulatos@Honeywell.com](mailto:Eric.Christodoulatos@Honeywell.com).

Sincerely,

Eric Christodoulatos  
Senior Remediation Manager

Attachment

cc: Mr. Al Simkins - MDE  
Mr. Ravic Miller - City of Baltimore  
Mr. George Pfeiffer - Honeywell

# Fourth Quarter 2025 Site Progress Report

2000 Race Street  
Baltimore, Maryland

*Prepared for*

**Honeywell**

855 South Mint Street  
North Carolina, 28202

*and*

Mayor and City Council of Baltimore, Maryland

*Prepared by*

**Jacobs**

Jacobs Engineering  
2411 Dulles Corner Park, Suite 500  
Herndon, VA 20171

**January 2026**



# **Contents**

1.	<b>Introduction .....</b>	<b>1</b>
2.	<b>Quarter in Review.....</b>	<b>1</b>
3.	<b>Upcoming Work during the First Quarter of 2026 .....</b>	<b>3</b>
4.	<b>Schedule .....</b>	<b>3</b>

## **Appendix**

A	Site Inspection Reports
---	-------------------------



## 1. Introduction

Honeywell International Inc. (Honeywell) and the Mayor and City Council of Baltimore City (City) are submitting this Quarterly Site Progress Report for the 2000 Race Street Site (Site) pursuant to the General Inspection Requirements of Section II.C of the Controlled Hazardous Substance (CHS) Post-Closure Permit issued by the Maryland Department of the Environment (MDE) for the 2000 Race Street Site on September 27, 2019. Quarterly Site Progress Reports are to be submitted to MDE and include the following information:

- Work completed and documents submitted to MDE in the preceding quarter
- A schedule and submittals for the upcoming quarter
- Any delays, modifications, or changes anticipated in the upcoming quarter.

This report covers Site-related activities conducted under the CHS permit during the Fourth quarter of 2025, from October 1, 2025, through December 31, 2025.

The Site is located at 2000 Race Street, Baltimore, Maryland (zip code 21230). It occupies approximately 10.3 acres and is bounded on the north by the Baltimore Gas and Electric Spring Gardens facility, on the south by Swann Park, on the east by Race Street and on the west by the Middle Branch of the Patapsco River. In addition, two elevated spans of Interstate 95 (I-95), oriented from east to west, overlie the Site on the northern half of the property. A chain-link security fence is present at the perimeter of the Site. The Site has no onsite building structures and is currently vacant.

Controlled hazardous substances are contained on the Site and are covered with an engineered cap consisting of the following materials from top to bottom: asphalt, gravel base, and compacted clay. The enhanced containment cap was completed at the end of 2019 and was implemented pursuant to the Controlled Hazardous Substances Permit. Cap maintenance is ongoing.

Additional information regarding the Site includes the following: May 23, 2007, Consent Order; *Site Characterization Work Plan*, dated September 2007; *Site Characterization Report*, dated September 2009; *Near Shore Investigation Report*, dated December 2009; *Interim Remedial Measures Assessment Investigation and Pilot Test Report*, dated July 2012; *Supplemental Site Characterization Report* (former arsenic shed area), dated February 2018; *Interim Remedial Measures Assessment (IRMA) Report*, dated August 2018; the *Corrective Measures Alternatives Analysis Report*, dated August 2018; Post-Closure Controlled Hazardous Substance (CHS) Permit issued by MDE, dated September 27, 2019; *Cap Construction Completion Report*, dated June 2020; and 2020 Groundwater Monitoring Data Report, dated March 2021.

## 2. Fourth Quarter 2025 Review

Site-related activities performed during the Third quarter of 2025 include the following:

- Oct. 8: Project Coordinator call with MDE
- Oct. 16: Monthly Site status inspection (Appendix A)
- Oct. 27: Performed Site-Wide Compliance Groundwater Sampling
- Nov 7: Shape Accel Array readings
- Nov. 12: Project Coordinator call with MDE
- Nov. 20: Monthly Site status inspection (Appendix A)
- Dec. 18: Monthly Site status inspection (Appendix A)
- Dec. 31: Inclinometer readings

### **3. Upcoming Work – First Quarter of 2026**

The following activities and submittals are anticipated to occur in the upcoming quarter:

- Monthly Site status inspections and participate in monthly Site status calls with MDE (October, November, and December)
- Submittal of the Fourth quarter 2025 Site Progress Report to MDE
- Sitewide groundwater monitoring
- Semiannual shape accel array/inclinometer readings.
- MDTA Geotechnical Investigation

### **4. Schedule**

A schedule of CHS permit activities anticipated during the First quarter of 2026 is provided in the following table.

Milestone	Anticipated Date
<b><i>January 2026</i></b>	
Perform compliance and performance groundwater monitoring	1-5-26
Perform monthly site status inspection	1-15-26
Submit Q4 2025 Site Progress Report	1-31-26
<b><i>February 2026</i></b>	
Perform compliance groundwater monitoring	2-2-26
Perform monthly site status inspection	2-19-26
<b><i>March 2026</i></b>	
Perform compliance groundwater monitoring	3-2-26
Perform monthly Site status inspection	3-19-26

## **Appendix A**

# **Site Inspection Reports**

**2000 Race Street**  
**Monthly Site Inspection Checklist**


Inspector:	Robert Collier	Date of Inspection:	16-Oct-25	
Title:	Remediation Geologist	Date of Last Inspection:	18-Sep-25	
Organization:	Jacobs	Weather:	Sunny, 63F	
<b>Site Inspection Results</b>				
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
<b>1. General</b>				
Inspect site for presence of surface debris. Identify type, approximate volume of debris, and location via description or on Site Plan (attach to Monthly Site Inspection Checklist).	1: Debris collecting between 11N and 19F Pier footings	City notified of need to clean debris	10/8/2025	City of Baltimore to address debris cleanup as part of site maintenance.
Inspect site for presence of vegetation. Identify estimated amount and location of vegetation via description or on Site Plan (attach to Monthly Site Inspection Checklist)	3: Vegetation growth along fence line	City notified of need to implement vegetation control.	10/8/2025	City of Baltimore to address vegetation control as part of site maintenance.
<b>2. Interstate 95 Footings and Joints</b>				
Inspect around pier footings for settlement. Identify settlement off-set from grade and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	2: Asphalt settlement adjacent to pier footing.	Jacobs subcontractor to perform repairs	TBD	Settlement is minor and being monitored monthly for changes.
	None	None	NA	NA
<b>3. Engineered Cap</b>				
Inspect cap for alligator cracking. Identify estimated area of cracking and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
Inspect cap for holes. Identify number of holes, width and depth, and location via description of on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
Inspect cap for cracks less than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	5: Crack with vegetation growth.	City notified of need to implement vegetation control.	10/8/2025	City of Baltimore to address vegetation control as part of site maintenance.
Inspect cap for cracks greater than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	NA
Inspect cap for any signs of ponding of water	None	None	NA	NA
Inspect storefront embankment for evidence of erosion or releases	None	None	NA	NA
Identify any other observations related to the condition of the cap and potential for cap damage	6: Sediment accumulation on asphalt 7: Sediment with vegetation growth 8: Settlement on slope adjacent to asphalt.	City notified of need to implement vegetation control.	10/8/2025	City of Baltimore to address vegetation control as part of site maintenance.

**2000 Race Street**  
**Monthly Site Inspection Checklist**

Site Inspection Results				
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
<b>4. Fence</b>				
Inspect fence for holes. Note number of holes. Identify location of holes via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	NA
Inspect fence to determine if there is any erosion compromising the integrity of the fence	None	None	NA	NA
Inspect fence to determine if barbed wire is in good condition	None	None	NA	NA
Inspect gates, chains, and locks for damage	None	None	NA	NA
Inspect fence to determine if any vegetation is damaging or otherwise compromising fence		None	NA	NA
Inspect fence to determine if there is any burrowing beneath fence	None	None	NA	NA
Identify any other observations related to the condition of the fence and potential for fence damage (e.g., points of weakness, corrosion)	None	None	NA	NA
<b>5. Aboveground Stormwater Conveyance System</b>				
Inspect aboveground stormwater conveyance system including piping, downspouts, and drain in southwest corner of site for proper operation	None	None	NA	NA
<b>6. Vandalism</b>				
Inspect site for any vandalism including any dumped material on-site and damage to monitoring wells	None	None	NA	NA
Identify any other observations related to vandalism on the site	None	None	NA	NA
<b>7. Signage</b>				
Inspect warning signs on exterior perimeter of fence to determine condition and readability. Identify number of signs removed/damaged/unreadable and locations via description or Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
<b>8. Miscellaneous Items</b>				
Any interaction with people on or adjacent to the site? If yes, identify who, title, organization, contact information, and content of interaction	None			
Other Comments/Observations?	None			


Notes:  
 1) Source of Race Street Site elevation contours and other site-specific information is the Final Corrective Action Plan for Interim Repairs (CAPIR) Completion Report, January 2005. O'brien & Gere Engineers, Inc.  
 2) Source of off-site spatial information is from the City of Baltimore.  
 3) Historic shore line data from Tricil & Hygeantics/HLL, 1999  
 4) Numbers correspond to descriptions in the Inspection report

### BG&E Spring Gardens Facility



### Legend

- ◆ Warning Signs
- Monitoring Well Locations
- Equipment Road
- Edge of Pavement
- Approximate Limits of I-95 Former Below
- Ground Stormwater System (Abandoned)
- Existing Shoreline
- Equipment Road
- Fence/Approximate Property Boundary
- and Limit of Engineered Cap
- Baltimore Stormwater Pipe
- Commercial
- Recreational
- Industrial
- Residential
- Buildings
- Concrete Column
- Concrete Footer
- PRB



0 50 100  
1 inch = 100 feet

Monthly Inspection Map  
Race Street Site  
Baltimore, MD

October 16,  
2025

**Jacobs**

**2000 Race Street**  
**Monthly Site Inspection Checklist**


Inspector:	Robert Collier	Date of Inspection:	20-Nov-25	
Title:	Remediation Geologist	Date of Last Inspection:	16-Oct-25	
Organization:	Jacobs	Weather:	Cloudy, 43F	
<b>Site Inspection Results</b>				
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
<b>1. General</b> Inspect site for presence of surface debris. Identify type, approximate volume of debris, and location via description or on Site Plan (attach to Monthly Site Inspection Checklist).	1: Debris/Furniture	City notified of need to clean debris	11/12/2025	City of Baltimore to address debris cleanup as part of site maintenance.
Inspect site for presence of vegetation. Identify estimated amount and location of vegetation via description or on Site Plan (attach to Monthly Site Inspection Checklist)	3: Vegetation growth along fence line	City notified of need to implement vegetation control.	11/12/2025	City of Baltimore to address vegetation control as part of site maintenance.
<b>2. Interstate 95 Footings and Joints</b> Inspect around pier footings for settlement. Identify settlement off-set from grade and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	2: Asphalt settlement adjacent to pier footing.	Jacobs subcontractor to perform repairs	TBD	Settlement is minor and being monitored monthly for changes.
	None	None	NA	NA
<b>3. Engineered Cap</b> Inspect cap for alligator cracking. Identify estimated area of cracking and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
Inspect cap for holes. Identify number of holes, width and depth, and location via description of on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
Inspect cap for cracks less than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	5: Crack with vegetation growth.	City notified of need to implement vegetation control.	11/12/2025	City of Baltimore to address vegetation control as part of site maintenance.
Inspect cap for cracks greater than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	NA
Inspect cap for any signs of ponding of water	None	None	NA	NA
Inspect storefront embankment for evidence of erosion or releases	None	None	NA	NA
Identify any other observations related to the condition of the cap and potential for cap damage	6: Sediment accumulation on asphalt 7: Sediment with vegetation growth 8: Settlement on slope adjacent to asphalt.	City notified of need to implement vegetation control.	11/12/2025	City of Baltimore to address vegetation control as part of site maintenance.

**2000 Race Street**  
**Monthly Site Inspection Checklist**

Site Inspection Results				
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
<b>4. Fence</b>				
Inspect fence for holes. Note number of holes. Identify location of holes via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	NA
Inspect fence to determine if there is any erosion compromising the integrity of the fence	None	None	NA	NA
Inspect fence to determine if barbed wire is in good condition	None	None	NA	NA
Inspect gates, chains, and locks for damage	None	None	NA	NA
Inspect fence to determine if any vegetation is damaging or otherwise compromising fence		None	NA	NA
Inspect fence to determine if there is any burrowing beneath fence	None	None	NA	NA
Identify any other observations related to the condition of the fence and potential for fence damage (e.g., points of weakness, corrosion)	None	None	NA	NA
<b>5. Aboveground Stormwater Conveyance System</b>				
Inspect aboveground stormwater conveyance system including piping, downspouts, and drain in southwest corner of site for proper operation	None	None	NA	NA
<b>6. Vandalism</b>				
Inspect site for any vandalism including any dumped material on-site and damage to monitoring wells	None	None	NA	NA
Identify any other observations related to vandalism on the site	None	None	NA	NA
<b>7. Signage</b>				
Inspect warning signs on exterior perimeter of fence to determine condition and readability. Identify number of signs removed/damaged/unreadable and locations via description or Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
<b>8. Miscellaneous Items</b>				
Any interaction with people on or adjacent to the site? If yes, identify who, title, organization, contact information, and content of interaction	None			
Other Comments/Observations?	None			

Notes:  
 1) Source of Race Street Site elevation contours and other site-specific information is the Final Corrective Action Plan for Interim Repairs (CAPIR) Completion Report, January 2005. O'brien & Gere Engineers, Inc.  
 2) Source of off-site spatial information is from the City of Baltimore.  
 3) Historic shore line data from Tricil & Hygeantics/HLL, 1999  
 4) Numbers correspond to descriptions in the Inspection report

### BG&E Spring Gardens Facility




### Legend

- ◆ Warning Signs
- Monitoring Well Locations
- Equipment Road
- Edge of Pavement
- Approximate Limits of I-95
- Former Below
- Ground Stormwater System (Abandoned)
- Existing Shoreline
- Equipment Road
- Fence/Approximate Property Boundary and Limit of Engineered Cap
- Fence Installed on Jersey Barriers
- Baltimore Stormwater Pipe
- Commercial
- Recreational
- Industrial
- Residential
- Buildings
- Concrete Column
- Concrete Footer
- PRB

Monthly Inspection Map  
 Race Street Site  
 Baltimore, MD

November 20,  
 2025



**Jacobs**

**2000 Race Street**  
**Monthly Site Inspection Checklist**


Inspector:	Robert Collier	Date of Inspection:	18-Dec-25	
Title:	Remediation Geologist	Date of Last Inspection:	20-Nov-25	
Organization:	Jacobs	Weather:	Partly Cloudy, 52F	
<b>Site Inspection Results</b>				
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
<b>1. General</b>				
Inspect site for presence of surface debris. Identify type, approximate volume of debris, and location via description or on Site Plan (attach to Monthly Site Inspection Checklist).	1: Debris/Furniture	City notified of need to clean debris	11/12/2025	City of Baltimore to address debris cleanup as part of site maintenance.
Inspect site for presence of vegetation. Identify estimated amount and location of vegetation via description or on Site Plan (attach to Monthly Site Inspection Checklist)	3: Vegetation growth along fence line	City notified of need to implement vegetation control.	11/12/2025	City of Baltimore to address vegetation control as part of site maintenance.
<b>2. Interstate 95 Footings and Joints</b>				
Inspect around pier footings for settlement. Identify settlement off-set from grade and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	2: Asphalt settlement adjacent to pier footing.	Jacobs subcontractor to perform repairs	TBD	Settlement is minor and being monitored monthly for changes.
	None	None	NA	NA
<b>3. Engineered Cap</b>				
Inspect cap for alligator cracking. Identify estimated area of cracking and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
Inspect cap for holes. Identify number of holes, width and depth, and location via description of on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
Inspect cap for cracks less than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	5: Crack with vegetation growth.	City notified of need to implement vegetation control.	11/12/2025	City of Baltimore to address vegetation control as part of site maintenance.
Inspect cap for cracks greater than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	NA
Inspect cap for any signs of ponding of water	None	None	NA	NA
Inspect storefront embankment for evidence of erosion or releases	None	None	NA	NA
Identify any other observations related to the condition of the cap and potential for cap damage	6: Sediment accumulation on asphalt 7: Sediment with vegetation growth 8: Settlement on slope adjacent to asphalt.	City notified of need to implement vegetation control.	11/12/2025	City of Baltimore to address vegetation control as part of site maintenance.

**2000 Race Street**  
**Monthly Site Inspection Checklist**

Site Inspection Results				
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
<b>4. Fence</b>				
Inspect fence for holes. Note number of holes. Identify location of holes via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	NA
Inspect fence to determine if there is any erosion compromising the integrity of the fence	None	None	NA	NA
Inspect fence to determine if barbed wire is in good condition	None	None	NA	NA
Inspect gates, chains, and locks for damage	None	None	NA	NA
Inspect fence to determine if any vegetation is damaging or otherwise compromising fence		None	NA	NA
Inspect fence to determine if there is any burrowing beneath fence	None	None	NA	NA
Identify any other observations related to the condition of the fence and potential for fence damage (e.g., points of weakness, corrosion)	None	None	NA	NA
<b>5. Aboveground Stormwater Conveyance System</b>				
Inspect aboveground stormwater conveyance system including piping, downspouts, and drain in southwest corner of site for proper operation	None	None	NA	NA
<b>6. Vandalism</b>				
Inspect site for any vandalism including any dumped material on-site and damage to monitoring wells	None	None	NA	NA
Identify any other observations related to vandalism on the site	None	None	NA	NA
<b>7. Signage</b>				
Inspect warning signs on exterior perimeter of fence to determine condition and readability. Identify number of signs removed/damaged/unreadable and locations via description or Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
<b>8. Miscellaneous Items</b>				
Any interaction with people on or adjacent to the site? If yes, identify who, title, organization, contact information, and content of interaction	None			
Other Comments/Observations?	None			

Notes:  
 1) Source of Race Street Site elevation contours and other site-specific information is the Final Corrective Action Plan for Interim Repairs (CAPIR) Completion Report, January 2005. O'brien & Gere Engineers, Inc.  
 2) Source of off-site spatial information is from the City of Baltimore.  
 3) Historic shore line data from Tricil & Hygeantics/HLL, 1999  
 4) Numbers correspond to descriptions in the Inspection report

### BG&E Spring Gardens Facility




### Legend

- ◆ Warning Signs
- Monitoring Well Locations
- Equipment Road
- Edge of Pavement
- Approximate Limits of I-95 Former Below
- Ground Stormwater System (Abandoned)
- Existing Shoreline
- Equipment Road
- Fence/Approximate Property Boundary
- and Limit of Engineered Cap
- Fence Installed on Jersey Barriers
- Baltimore Stormwater Pipe
- Commercial
- Recreational
- Industrial
- Residential
- Buildings
- Concrete Column
- Concrete Footer
- PRB

Monthly Inspection Map  
 Race Street Site  
 Baltimore, MD

December 18,  
 2025



**Jacobs**