

101 Columbia Road Morristown, NJ 07962-1139 Tel: 973-455-4131 Fax: 973-455-3082

October 29, 2013

Mr. Edward Hammerberg
Technical Specialist/RCE Supervisor
Waste Division and Utilization Program
Maryland Department of the Environment
1800 Washington Boulevard, Suite 645
Baltimore, MD 21230

Subject: Transmittal of Quarterly Site Progress Report, Third Quarter 2013

2000 Race Street Site, Baltimore, Maryland

Dear Mr. Hammerberg:

Please find attached the Third Quarter 2013 Site Progress Report for the 2000 Race Street Site, Baltimore, Maryland. This document is provided on behalf of Honeywell and the Mayor and City Council of Baltimore pursuant to the requirements of Section III.A of the 2000 Race Street Site Consent Order (effective date of May 23, 2007).

If you have any questions or require additional information, please do not hesitate to contact me at 973-455-4131.

Very truly yours,

HONEYWELL INTERNATIONAL INC.

Yun

Christopher M. French, R.G., C.E.G. Manager, Remediation & Evaluation Services

Attachment

cc: Mr. Matthew Zimmerman (MDE)

Mr. Ed Dexter (MDE) Mr. Jim Carroll (MDE)

Mr. Michael Daneker (Arnold & Porter)
Ms. Dawn Lettman (City of Baltimore)
Mr. Michael Cook (City of Baltimore)

Mr. Gary Walters (ERM)

Third Quarter 2013 Race Street Quarterly Site Progress Report, 2000 Race Street, Baltimore, Maryland

Prepared for

Honeywell International Inc.

The Mayor and City Council of Baltimore, Maryland

October 2013



15010 Conference Center Drive Suite 200 Chantilly, VA 20151

Contents

Section		Page
1	Introduction	1-1
2	Quarter in Review	2-1
3	Upcoming Work and Submittals during the Third Quarter of 2013	3-1
4	Schedule	4-1

Appendixes

A Site Inspection Reports

Introduction

Honeywell International Inc. (Honeywell) and the Mayor and City Council of Baltimore (City) are submitting this Quarterly Site Progress Report for the 2000 Race Street Site (Site) pursuant to the May 23, 2007, Administrative Consent Order (Consent Order) between the Maryland Department of the Environment (MDE), Honeywell, and the City. Quarterly Site Progress Reports will be submitted to MDE for the duration of the Consent Order. As specified within Section III.F of the Consent Order, the reports will identify the following information:

- Work completed and documents submitted to MDE in the preceding quarter;
- A schedule and submittals for the upcoming quarter; and
- Any delays, modifications, or changes anticipated in the upcoming quarter.

This report covers Site-related activities conducted under the Consent Order during the third quarter of 2013, from July 1 through September 30, 2013.

The Site is located at 2000 Race Street, in Baltimore, Maryland (ZIP Code 21230). It occupies approximately 10.3 acres and is bounded on the north by the Baltimore Gas and Electric (BGE) Spring Gardens facility, on the south by Swann Park, on the east by Race Street, and on the west by the Middle Branch of the Patapsco River. In addition, two elevated spans of Interstate 95 (I-95) oriented from east to west overlie the Site on the northern half of the property. A chain-link security fence is present at the perimeter of the Site. The Site has no onsite building structures and is currently vacant.

Controlled hazardous substances (CHS) are contained on the Site and covered with an engineered cap consisting of the following materials from top to bottom: asphalt, gravel base, and compacted clay. Cap maintenance is ongoing. Additional information regarding the Site is provided in several documents, including the May 23, 2007, Consent Order; the "Site Characterization Work Plan," dated September 2007; the "Site Characterization Report," dated September 2009; the "Near Shore Investigation Report," dated December 2009; and the "Interim Remedial Measures Assessment Investigation and Pilot Test Report," dated July 2012.

Quarter in Review

Site-related activities performed during the third quarter of 2013 include the following:

- July 12: Completed installation of bridge-monitoring equipment;
- July 17: Monthly Site status call with MDE;
- July 25: Monthly Site status inspection (Appendix A);
- August 15: Bridge-monitoring status meeting with the City, Honeywell, and MdTA;
- August 20: Site-wide application of herbicide by City
- August 21: Completed minor erosion repairs along the north fence line;
- August 22: Monthly Site status inspection (Appendix A);
- August 23: Bridge-monitoring report submitted to MDE;
- August 28: Monthly Site status call with MDE;
- September 19: Monthly Site status inspection (Appendix A);
- September 23: Obtained inclinometer readings;
- September 25: MDE correspondence to MdTA regarding implementation of interim remedial actions; and
- September 26: Monthly Site status call with MDE.

Upcoming Work and Submittals during the Fourth Quarter of 2013


The following activities and submittals are anticipated to occur in the upcoming quarter:

- October, November and December: Conduct monthly Site status inspections and participate in monthly Site status calls with MDE;
- Perform quarterly inclinometer readings;
- October 31: MdTA status meeting; and
- Submit the Third Quarter 2013 Site Status report to MDE by October 30, 2013.

Schedule

A schedule of activities anticipated during the fourth quarter of 2013 is provided below.


Milestone	Anticipated Date			
October 2013				
Perform monthly Site inspection	10-17-13			
Submit third quarter 2013 Site Status Report	10-30-13			
MdTA status meeting	10-31-13			
November 2013				
Perform monthly Site status inspection	TBD			
December 2013				
Perform monthly Site inspection	TBD			
Perform quarterly inclinometer readings	TBD			



Inspector:	Kenneth Biles	Date of Inspection:	25-Jul-13
Title:	Assistant Project Manager	Date of Last Inspection:	28-Jun-13
Organization:	CH2M HILL	Weather:	Clear, Warm


Site Inspection Resu	lts			
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
1 dok	Obscivations	Actions raken	Date Completed	Comments/Additional Observations
Inspect site for presence of surface debris. Identify type,	6)Trash and debris along shoreline	One bag of trash removed from	7/25/2013	City schedules periodic site-wide trash clean up as
approximate volume of debris, and location via description or on	of tracit and desire diong energine	site during the site visit.	172072010	required.
Site Plan (attach to Monthly Site Inspection Checklist).		Site during the site visit.		roquirou.
Inspect site for presence of vegetation. Identify estimated	1) Vegetation	None	NA	City to schedule herbicide application for
amount and location of vegetation via description or on Site Plan		None	1474	vegetation control.
(attach to Monthly Site Inspection Checklist)	2) vegetation along perimeter tende			vegetation control.
2. Interstate 95 Footings and Joints	<u> </u>	<u> </u>	1	
Inspect around pier footings for settlement. Identify settlement off	None	None	NA	NA
set from grade and location via description or on Site Plan	INOTIE	None	INA	INA
(attach to Monthly Site Inspection Checklist)				
	None	None	NA	NA
description or on Site Plan (attach to Monthly Site Inspection	INOTIE	None	INA	INA
Checklist)				
3. Engineered Cap				
Inspect cap for alligator cracking. Identify estimated area of	5) Localized surface cracks	None	INA	Can renaire nariadically norfermed including areals
	5) Localized surface cracks	None	NA	Cap repairs periodically performed including crack
cracking and location via description or on Site Plan (attach to				sealing and asphalt patching.
Monthly Site Inspection Checklist)	N	Nicol	NIA	NA .
Inspect cap for holes. Identify number of holes, width and depth,	None	None	NA	NA
and location via description of on Site Plan (attach to Monthly				
Site Inspection Checklist)				
Inspect cap for cracks less than 0.5 inches wide. Note number of	4) Crack without vegetation of various length	None	NA	Cap repairs periodically performed including crack
cracks. Identify location of cracks via description or on Site Plan				sealing and asphalt patching.
(attach to Monthly Site Inspection Checklist).				
Inspect cap for cracks greater than 0.5 inches wide. Note	None	None	NA	NA
number of cracks. Identify location of cracks via description or on				
Site Plan (attach to Monthly Site Inspection Checklist).				
Inspect cap for any signs of ponding of water	6) Localize area with standing water	None	NA	Cap repairs periodically performed including crack
				sealing and asphalt patching.
Inspect shorefront embankment for evidence of erosion or	None	None	NA	NA
releases				
Identify any other observations related to the condition of the cap	None	None	NA	NA
and potential for cap damage				
and poterman for eap admage				
4. Fence				
Inspect fence for holes. Note number of holes. Identify location	None	None	NA	NA
of holes via description or on Site Plan (attach to Monthly Site				
Inspection Checklist).				
· ·				
Inspect fence to determine if there is any erosion compromising	None	None	NA	NA
the integrity of the fence				
Inspect fence to determine if barbed wire is in good condition	None	Coordinate repair of fencing with	NA	Areas of damaged barbed wire have been noted in
		the City of Baltimore		prior inspections.
Inspect gates, chains, and locks for damage	None	None	NA	NA

Site Inspection Resu	lts			
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
Inspect fence to determine if any vegetation is damaging or otherwise compromising fence	Vegetation growing on perimeter fence.	Work with COB to schedule the application of herbicide or mowing of grass	NA	NA
Inspect fence to determine if there is any burrowing beneath fence	None	None	NA	NA
Identify any other observations related to the condition of the fence and potential for fence damage (e.g., points of weakness, corrosion)	None	None	NA	NA
5. Aboveground Stormwater Conveyance System				
Inspect aboveground stormwater conveyance system including piping, downspouts, and drain in southwest corner of site for proper operation	None	None	NA	NA
6. Vandalism				
Inspect site for any vandalism including any dumped material on- site and damage to monitoring wells	None	None	NA	NA
Identify any other observations related to vandalism on the site	None	None	NA	NA
7. Signage				
Inspect warning signs on exterior perimeter of fence to determine condition and readability. Identify number of signs removed/damaged/unreadable and locations via description or Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	NA
8. Miscellaneous Items			l	
Any interaction with people on or adjacent to the site? If yes, identify who, title, organization, contact information, and content of interaction	Greg Sneeringer (ERM) and James Leizear	(MDE) were present for the site visit.	Emily Curbo with C	H2M HILL was onsite site survey work.
Other Comments/Observations?				



Inspector:	Kenneth Biles	Date of Inspection:	22-Aug-13	
Title:	Assistant Project Manager	Date of Last Inspection:		25-Jul-13
Organization:	CH2M HILL	Weather:		Hot with Periods of Rain
O'te been estern	Describe			1
Site Inspection		Astions Tales	Data Camaniata d	
Task 1. General	Observations	Actions Taken	Date Completed	Comments/Additional Observations
Inspect site for presence of surface debris. Identify type, approximate volume of debris, and location via description or on Site Plan (attach to Monthly Site Inspection Checklist).	Debris present across the site	None	TBD	The City periodically performs site-wide trash pick up and removal, as required
Inspect site for presence of vegetation. Identify estimated amount and location of vegetation via description or on Site Plan (attach to Monthly Site Inspection Checklist)	2) Vegetation in small cracks	The City applied herbicide to the vegetation at the site on 8/20/2013	8/20/2013	None
2. Interstate 95 Footings and Joints				
Inspect around pier footings for settlement. Identify settlement off-set from grade and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	None
location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	None
3. Engineered Cap		Ta.	I=0.0	
Inspect cap for alligator cracking. Identify estimated area of cracking and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	4) Localized surficial alligator cracking	None		Cap repairs periodically performed including crack sealing and asphalt patching.
Inspect cap for holes. Identify number of holes, width and depth, and location via description of on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	None
Inspect cap for cracks less than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	None
Inspect cap for cracks greater than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	None
Inspect cap for any signs of ponding of water	None	None	NA	None
Inspect shorefront embankment for evidence of erosion or releases	None			None
Identify any other observations related to the condition of the cap and potential for cap damage	None	None	NA	None
4. Fence		•	•	

Citation	Describe	I mopeonion oneoknot		
Site Inspection	•	Astion T !	I Data O	Occasional Additional Control
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
Inspect fence for holes. Note number of holes. Identify location of holes via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	None
Inspect fence to determine if there is any erosion compromising the integrity of the fence	None	None	NA	None
Inspect fence to determine if barbed wire is in good condition	None	None	NA	None
Inspect gates, chains, and locks for damage	1) Main gate unlocked	Gate Locked	8/20/2013	None
Inspect fence to determine if any vegetation is damaging or otherwise compromising fence	3) Vines are on the fence over the barbed wire here	None	8/20/2013	City applied herbicide to vegetation across the site.
beneath fence	None	None	NA	None
Identify any other observations related to the condition of the fence and potential for fence damage (e.g., points of weakness, corrosion)	None	None	NA	None
5. Aboveground Stormwater Conveyance System	1	-		
Inspect aboveground stormwater conveyance system including piping, downspouts, and drain in southwest corner of site for proper operation	None	None	NA	None
6. Vandalism		1	1	
Inspect site for any vandalism including any dumped material on-site and damage to monitoring wells	None	None	NA	None
Identify any other observations related to vandalism on the site	None	None	NA	None
7. Signage	,	-		
Inspect warning signs on exterior perimeter of fence to determine condition and readability. Identify number of signs removed/damaged/unreadable and locations via description or Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	None
8. Miscellaneous Items	•	•	•	•
Any interaction with people on or adjacent to the site? If yes, identify who, title, organization, contact information, and content of interaction	James Leizear (MDE) and Josh Floyd (ERM) onsite during site visit.			
Other Comments/Observations?	None			



		,		
Inspector:	Kenneth Biles	Date of Inspectio	n:	19-Sep-13
Title:	Assistant Project Manager	Date of Last Inspectio	n:	22-Aug-13
Organization:	CH2M HILL	Weathe	r:	Clear and Cool
Site Inspection				
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
1. General				
Inspect site for presence of surface debris. Identify type, approximate volume of debris, and location via description or on Site Plan (attach to Monthly Site Inspection Checklist).	Debris present across the site	None	TBD	The City periodically performs site-wide trash pick up and removal, as required
Inspect site for presence of vegetation. Identify estimated amount and location of vegetation via description or on Site Plan (attach to Monthly Site Inspection Checklist)	Vegetation along fence	None	NA	(3) Dead vegetation across the site from herbicide application performed on 8-20-13 by the City.
2. Interstate 95 Footings and Joints				
Inspect around pier footings for settlement. Identify settlement off-set from grade and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	None
Inspect around pier footings for joint failure. Identify location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	None
3. Engineered Cap		-	N.	
Inspect cap for alligator cracking. Identify estimated area of cracking and location via description or on Site Plan (attach to Monthly Site Inspection Checklist)	2) Localized alligator cracking	None	NA	Cap repairs periodically performed including crack sealing and asphalt patching.
Inspect cap for holes. Identify number of holes, width and depth, and location via description of on Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	None
Inspect cap for cracks less than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	5) Location of crack in asphalt	None	NA	Cap repairs periodically performed including crack sealing and asphalt patching.
Inspect cap for cracks greater than 0.5 inches wide. Note number of cracks. Identify location of cracks via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	None
Inspect cap for any signs of ponding of water	None	None	NA	None
Inspect shorefront embankment for evidence of erosion or releases	None	None	NA	None
Identify any other observations related to the condition of the cap and potential for cap damage	None	None	NA	None
4. Fence		-	l	

	<u>*</u>	inspection checklist		
Site Inspection	Results			
Task	Observations	Actions Taken	Date Completed	Comments/Additional Observations
Inspect fence for holes. Note number of holes. Identify location of holes via description or on Site Plan (attach to Monthly Site Inspection Checklist).	None	None	NA	None
Inspect fence to determine if there is any erosion compromising the integrity of the fence	None	None	NA	None
Inspect fence to determine if barbed wire is in good condition	7) No barbed wire top guard	None	NA	Fence repairs to be performed as part of routine operation and maintenance activities
Inspect gates, chains, and locks for damage	None	None		
Inspect fence to determine if any vegetation is damaging or otherwise compromising fence	6) Vegetation on barbed wire top guard and fence	None	NA	City performs periodic herbicide applications for vegetation control.
Inspect fence to determine if there is any burrowing beneath fence	None	None	NA	None
Identify any other observations related to the condition of the fence and potential for fence damage (e.g., points of weakness, corrosion)	4) Dead vegetation on fence	None	NA	None
5. Aboveground Stormwater Conveyance System				
Inspect aboveground stormwater conveyance system including piping, downspouts, and drain in southwest corner of site for proper operation	None	None	NA	None
6. Vandalism			<u> </u>	
Inspect site for any vandalism including any dumped material on-site and damage to monitoring wells	None	None	NA	None
Identify any other observations related to vandalism on the site	None	None	NA	None
7. Signage				
Inspect warning signs on exterior perimeter of fence to determine condition and readability. Identify number of signs removed/damaged/unreadable and locations via description or Site Plan (attach to Monthly Site Inspection Checklist)	None	None	NA	None
8. Miscellaneous Items	1		I	
Any interaction with people on or adjacent to the site? If yes, identify who, title, organization, contact information, and content of interaction	title, organization, contact			
Other Comments/Observations?	None			

